

LOADERS AND IMPLEMENTS



EVERY SINGLE DAY, YOU DEMAND MORE. MORE FROM YOUR LAND. MORE FROM YOURSELF. MORE FROM YOUR EQUIPMENT. WHICH IS WHY WE ALSO DEMAND MORE. MORE POWER. MORE PRODUCTIVITY-BOOSTING FEATURES. MORE APPROACHABLE AND KNOWLEDGEABLE CASE IH EXPERTS. AND WE DO ALL THIS TO BETTER SERVE YOU AND YOUR NEEDS.

TO GIVE YOU THE POWER TO GET MORE DONE, WE OFFER A FULL LINE OF LOADERS, ATTACHMENTS AND IMPLEMENTS FOR TRACTORS OF ALL SIZES, INCLUDING MOWERS, BACKHOES, BLOWERS, BLADES, BROOMS AND TILLERS. AND EVERY PIECE OF CASE IH EQUIPMENT IS SUPPORTED BY A STRONG CASE IH DEALER NETWORK AND INDUSTRY-LEADING PARTS AND SERVICE SYSTEM. SO YOU CAN HAVE THE CONFIDENCE TO DO MORE ON YOUR LAND, MORE FOR YOUR BUSINESS, MORE FOR YOUR BOTTOM LINE.



FOR THOSE WHO DEMAND MORE

| | | | MATERIAL HANDLING-LOADERS | 4 |
|---------|----------|------|---------------------------------|----------------|
| | | | MOWING | 8 |
| | | | LANDSCAPING | 12 |
| | | | TILLAGE & GARDENING | 16 |
| | | ASED | DEBRIS CLEANUP/ SNOW REMOVAL | 17 |
| | 1350 | | CASE IH SYSTEMS APPROACH | 18 |
| | | | | |
| | | | | |
| La = 1/ | | | | and the second |
| | 1 August | | | |
| | | | LINE CONTRACTOR | 1111 |
| | | | | |
| | | | | |

LOAD IT. MOVE IT. MANAGE IT.

WHETHER YOU NEED TO STACK HAY, MANAGE A WAREHOUSE OR MOVE MATERIAL AT A JOB SITE, CASE IH OFFERS THREE RUGGED LOADER LINES BUILT TO HELP YOU POWER THROUGH YOUR TOUGHEST MATERIAL HANDLING TASKS.

Built tough to take the twisting forces of heavy-duty loader work, Case IH loaders combine strength, durability and easy serviceability. Specially engineered to match Case IH tractors, Case IH loaders install and remove in minutes and let you switch easily between attachments. This industry-best compatibility saves you time and lets you confidently handle a variety of tasks with maximum efficiency.

Case IH also offers a Work EZ[™] loader line built to fit legacy Case IH and competitive tractor models. Work EZ loaders from Case IH offer excellent value and high performance, and will fit several brands of new and used tractors.



Case IH offers ballast boxes and rear weights to help counterweight your tractor when performing loader work.







Case IH L700 and Work EZ loaders are available with 70+ standard and heavy-duty attachments to tackle your entire "to do" list.





A quick-lock system makes attaching the Case IH L700 and Work EZ loaders fast and easy. And an innovative spring-loaded design keeps pins with the loader. So you won't have to waste time searching for pins.

Buckets

Forks

Grapples

Spikes

MATERIAL HANDLING-LOADERS



A Case IH loader matched with a Case IH tractor offers great visibility to the attachment and load, along with superior compatibility.

Engineered to match the power of Case IH tractors, Case IH loaders offer improved implement control, which leads to longer loader life and a better return on your investment. **Mounting a Case IH L300 series loader** is a simple one-person operation that takes only minutes. **Optional Quick-Attach faceplates** let you switch easily between attachments on all Case IH loaders.

CASE IH LOADERS

Case IH loaders are available for Farmall[®] compact tractors and larger Farmall utility tractors, as well as Case IH Maxxum[®], Puma[™] and Magnum[™] tractors. Every Case IH loader – from the smallest to the largest heavy-lifting ag loader – is built with the same matched capacity design.

L300 SERIES

| MODEL | MAX. LIFT CAPACITY AT PINS, LBS. (KG) | MAX. HEIGHT AT PINS, IN. (M) | BREAKOUT FORCE LBS. (KG) | CASE IH TRACTOR COMPATIBILITY |
|-------|--|---------------------------------|-----------------------------|-------------------------------|
| L340 | 1,250 (568) | 98.4 (2.49) | 2,700 (1,225) | Farmall 31 & 35 |
| L350 | 2,000 (908) | 105 (2.66) | 3,540 (1,606) | Farmall 40, 45 & 50 |
| L360 | 2,500 (1,135) | 112.3 (2.85) | 5,000 (2,286) | Farmall 55 & 60 |

L700 SERIES

| MODEL | MAX. LIFT CAPACITY AT PINS, LBS. (KG) | MAX. HEIGHT AT PINS, IN. (M) | BREAKOUT FORCE LBS. (KG) | CASE IH TRACTOR COMPATIBILITY |
|-------|--|---------------------------------|-----------------------------|--|
| L720 | 2,100 (953) | 125 (3.2) | 2,650 (1,202) | Farmall 70 Farmall 80 – 95 (2WD) Farmall 65C – 95C |
| L730 | 2,500 (1,134) | 136 (3.45) | 3,100 (1,406) | Farmall 70 – 95 MFD Farmall 65C – 95C Farmall 85U – 105U |
| L740 | 3,200 (1,450) | 144 (3.65) | 3,850 (1,746) | Farmall 95 MFD Farmall 85U – 105U |
| L740 | 3,150 (1,429) | 145 (3.68) | 3,800 (1,724) | Maxxum 110 Value |
| L740 | 3,370 (1,529) | 145 (3.68) | 4,060 (1,842) | Maxxum 110, 120 & 130 Pro |
| L750 | 3,460 (1,569) | 154 (3.91) | 4,110 (1,864) | Maxxum 115 & 125 Value |
| L750 | 3,700 (1,678) | 154 (3.91) | 4,400 (1,996) | Maxxum 125 & 140 Pro |
| L760 | 4,300 (1,950) | 167 (4.24) | 5,000 (2,268) | Puma 115 – 155 |
| L760 | 4,650 (2,109) | 169 (4.29) | 5,350 (2,427) | Puma 165 – 180 |
| L770 | 4,900 (2,223) | 178 (4.52) | 5,800 (2,631) | Puma 165 – 225 |
| L780 | 5,250 (2,381) | 187 (4.74) | 7,000 (3,175) | Magnum 180 – 210 Magnum 215 – 335 |





MATERIAL HANDLING-LOADERS

WORK EZ LOADERS

Work EZ loaders from Case IH will fit Case IH legacy tractors, along with many new and used competitive brand tractors.

400 SERIES WORK EZ

| MODEL | LIFT CAPACITY AT MAX HEIGHT (KG) | MAX. LIFT HEIGHT IN. (M) | BREAKOUT FORCE LBS. (KG) |
|-------|-------------------------------------|-----------------------------|--------------------------|
| 410L | 2,100 (953) | 122 (3.1) | 2,650 (1,202) |
| 420L | 2,500 (1,134) | 133 (3.38) | 3,100 (1,406) |
| 430L | 3,200 (1,451) | 144 (3.65) | 3,850 (1,746) |
| 440L | 3,700 (1,678) | 154 (3.91) | 4,400 (1,995) |
| 450L | 4,300 (1,950) | 167 (4.24) | 5,000 (2,268) |
| 460L | 4,900 (2,223) | 178 (4.52) | 5,800 (2,631) |
| 470L | 5,250 (2,381) | 187 (4.74) | 7,000 (3,175) |









THREE RUGGED MOWER LINES TO TACKLE ANY TASK.

FROM A MANICURED LAWN TO MUNICIPAL GOLF COURSE, HORSE PASTURE TO ROADSIDE RIGHT-OF-WAY, CASE IH OFFERS THREE HIGH-PERFORMANCE, LOW-MAINTENANCE MOWER LINES TO MEET EVERY DEMAND.

Case IH mid-mount mowers make lawn care a breeze; rear-mount finishing mowers provide the proven performance and longevity professional users demand; and Case IH rotary cutters handle everything from light-duty grounds maintenance to heavy-duty commercial applications.



MID-MOUNT

FINISHING

MOWING

CASE IH MID-MOUNT MOWERS

Case IH MW Series mid-mount mowers for Farmall® compact tractors keep lawns looking their best - without extra time or effort. These quality mowers offer worldclass lawn performance, while making it easy to keep an eye on the mower when maneuvering next to buildings or landscaped beds.

Case IH mid-mount mowers are compatible with Case IH loaders, so you don't have to remove the mower before doing loader work. The mid-mount design also frees up the 3-point hitch, so you can move quickly between chores without removing the mower deck.

| MODEL | CUTTING WIDTH | DISCHARGE | CASE IH TRACTOR COMPATIBILITY |
|-------|---------------|-----------|----------------------------------|
| MW60S | 60 in. | Side | Farmall 31 & 35 |
| MW72S | 72 in. | Side | Farmall 31 & 35 |
| MW72R | 72 in. | Rear | Farmall 31 & 35 |
| MW84R | 84 in. | Rear | Farmall 40 & 45 (HST only) |



Routine maintenance is a snap on Case IH MW mid-mount mowers, because spindles can be greased from the top of the mower deck without removing the shields.

The high-lift, four-tooth blade design on Case IH MW mowers provides outstanding cutting and mulching. It also offers a best-inclass blade overlap of 1.5 in. for a consistent cut.



Manufactured with the same strict The largest Case IH MW mower has **quality** and durability standards that govern all Case IH equipment, Case IH MW mid-mount mowers are built for many seasons of rugged use.

the widest deck - 84 inches - in the industry. So you cover more ground in less time.

CASE IH REAR-MOUNT FINISHING MOWERS

Cut acreages down to size fast with a Case IH rear-mount finishing mower. These rugged, reliable mowers provide the proven performance, easy maintenance and long life required by Case IH customers.

Cutting edge features include greaseable spindles and automatic belt-tensioning to maintain the correct adjustment for a longer, trouble-free service life. In addition, a choice of mower widths gives you flexibility to match your tractor and job, while 3-point mounting makes changing implements for other chores easy.

| MODEL | PTO HP RATING | CUTTING WIDTH | DRIVE METHOD |
|-------|---------------|---------------|------------------|
| RR60 | Up to 30 | 5 ft. | Rear 540 rpm PTO |
| RR72 | Up to 40 | 6 ft | Rear 540 rpm PTO |
| RR90 | Up to 60 | 7.5 ft. | Rear 540 rpm PTO |
| RR144 | At least 30 | 12 ft. | Rear 540 rpm PTO |
| RR180 | At least 35 | 15 ft. | Rear 540 rpm PTO |
| RR204 | At least 40 | 17 ft. | Rear 540 rpm PTO |



Three overlapping mower blades on Case IH rear-mount finishing mowers provide fast, smooth mowing action, while the air-tunnel design improves the quality of cut and materials discharge – even in tall grass. **Setting the cutting height** is simple with easy-to-adjust gauge wheels, which allow the mower deck to follow ground contours for an even cut and reduced scalping. The floating top link on Case IH RR mowers provides additional deck flex to follow the ground through dips and over humps, so you get a consistent cut every time. **A strong 40-hp (29.8-kW) gearbox** teams with your tractor's 540 rpm PTO to handle the stress of continuous mowing.

Mowing

CASE IH ROTARY CUTTERS

Every rugged Case IH rotary cutter has a tough, one-piece, seal-welded design for superior strength and years of trouble-free operation. The Case IH rotary cutter lineup includes four duty levels – economy, standard-duty, heavy-duty/ 3-point and heavy-duty/pull-type – to meet every demand.

Sizes range from 4 to 15 ft., small enough to fit a Case IH Farmall compact tractor up to a Case IH Puma row crop tractor. From private estates to public municipalities, livestock farms, recreational land and CRP acreage, there's a Case IH rotary cutter to suit your situation.

| MODEL | TYPE | CUTTING WIDTH | CUTTING CAPACITY | SLIP PROTECTION |
|--------|----------------------|---------------|------------------|-----------------|
| RC480 | Economy | 48 in. | 2 in. | Shear Pin |
| RC600 | Economy | 60 in. | 2 in. | Shear Pin |
| RC720 | Economy | 72 in. | 2 in. | Shear Pin |
| RC605 | Standard-Duty | 60 in. | 2.5 in. | Slip Clutch |
| RC725 | Standard-Duty | 72 in. | 2.5 in. | Slip Clutch |
| RC840 | Standard-Duty | 83 in. | 2.5 in. | Slip Clutch |
| RC727 | Heavy-Duty/3-point | 72 in. | 3 in. | Slip Clutch |
| RC845 | Heavy-Duty/3-point | 84 in. | 3 in. | Slip Clutch |
| RC84HD | Heavy-Duty/3-point | 84 in. | 4 in. | Slip Clutch |
| RC960 | Heavy-Duty/3-point | 96 in. | 3 in. | Slip Clutch |
| RC1200 | Heavy-Duty/Pull Type | 120 in. | 3 in. | Slip Clutch |
| RC1800 | Heavy-Duty/Pull Type | 180 in. | 3 in. | Slip Clutch |



A smooth underdeck design allows cut material to move unrestricted, reducing rust hazards on Case IH rotary cutters.

Made with tough, **7-gauge metal**, Case IH rotary cutters have a seal welded, onepiece design that resists rusting. Most competitive brands are made of thinner gauge metal, are skip welded, and made of more than one piece. **Gearbox plate thickness on Case IH rotary cutters** starts at ³⁄₄ in., vs. ¹⁄₄ in. in competitive brands. And a heavy-duty output shaft in the Case IH gearbox ensures reliable, dependable operation. On Case IH rotary cutters, the **heavy-duty tubing** on the tailwheel assembly cannot be damaged when cutting in reverse, unlike the weaker A-frame assembly on competitive brands.

A BEEFY LANDSCAPING LINEUP: BACKHOES, BLADES & RAKES.

WHETHER YOU'RE A FULL-TIME LANDSCAPING PROFESSIONAL OR A WEEKEND DO-IT-YOURSELFER, CASE IH OFFERS A COMPLETE LINE OF RUGGED LANDSCAPING IMPLEMENTS TO HANDLE YOUR HARDEST CHORES.

Our powerful, versatile landscaping line includes Case IH backhoes and front blades, as well as Work EZ[™] box blades, rear blades and landscape rakes. Work EZ implements from Case IH meet the company's rigorous quality and reliability standards, and are built to fit any tractor brand with a 3-point hitch.

CASE IH UTILITY BACKHOES.

Portable, flexible and strong, Case IH utility backhoes let you confidently dig in tight quarters with minimum soil compaction. Lightweight enough for one person to attach and remove – but tough as nails when it comes to hard work – a Case IH utility backhoe combines a small footprint with big capabilities.

| MODEL | DIGGING DEPTH | REACH FROM SWING PIVOT | CASE IH TRACTOR COMPATIBILITY |
|-------|---------------|---------------------------|---|
| BH90 | 89.9 in. | 123 in. | Farmall 31, 35, 40, 45, 50, 55 & 60 |
| BH102 | 102 in. | 134 in. | Farmall 31, 35, 40, 45, 50, 55 & 60 |
| BH114 | 113.5 in. | 149 in. | Farmall 55 & 60 Farmall Series Farmall U Series Farmall C Series |



On **Case IH utility backhoes**, all controls are mounted in a low-profile console that doesn't block your view.

We offer a complete range of standard and heavy-duty excavating, grave and muck buckets for Case IH utility backhoes, to suit every digging operation.

LANDSCAPING

CASE IH FRONT BLADES

Get plenty of pushing power to easily move or level sand, dirt, snow, gravel or manure with Case IH BM Series Quick-Attach front blades. The convenient, Quick-Attach sub-frame makes it easy to attach and remove blades without tools. This same sub-frame can also be used with other Case IH front-mounted Quick-Attach implements, including rotary brooms and front mount snow blowers.

| MODEL | MOLDBOARD WIDTH | MOLDBOARD HEIGHT | CASE IH TRACTOR COMPATIBILITY |
|--------|-----------------|------------------|----------------------------------|
| BM172 | 72 in. | 22 in. | Farmall 31 & 35 |
| BM172H | 72 in. | 22 in. | Farmall 40, 45 & 50 |
| BM184H | 84 in. | 22 in. | Farmall 40, 45 & 50 |
| BM184 | 84 in. | 20 in. | Farmall 55 & 60 (Pin on only) |



Case IH **Quick-Attach front blades** bolt on for long life and easy maintenance, and are easily attached and removed without tools. The **durable cutting edge** on Case IH Quick-Attach front blades is made of heat-treated, high-carbon steel that's reversible and replaceable. The **blade angle adjusts** from 0 to 30 degrees, while its up-front position makes it easy to see and manage your load.

A durable, spring-trip design lets the blade pivot when it hits an obstruction. And adjustable skid shoes maintain the blade at a preset height to prevent gouging.

WORK EZ[™] BOX BLADES

Work EZ box blades from Case IH are constructed of heavy-duty steel, brawny and built to last with dual reversible cutting edges and replaceable shank tips. Case IH dealers support three box blade lines to meet any grading or leveling challenge: standard-duty, medium-duty and heavy-duty/industrial.

| MODEL | ТҮРЕ | OVERALL HEIGHT | OVERALL WIDTH | BOX DEPTH |
|-------|-----------------------|----------------|---------------|-----------|
| 48BL | Standard-Duty | 35.5 in. | 48 in. | 17 in. |
| 60BL | Standard-Duty | 35.5 in. | 60 in. | 17 in. |
| 60BM | Medium-Duty | 36 in. | 60 in. | 17 in. |
| 72BM | Medium-Duty | 36 in. | 72 in. | 17 in. |
| 84BM | Medium-Duty | 36 in. | 84 in. | 17 in. |
| 72BH | Heavy-Duty/Industrial | 36 in. | 72 in. | 19 in. |
| 84BH | Heavy-Duty/Industrial | 36 in. | 84 in. | 19 in. |
| 96BI | Heavy-Duty/Industrial | 36 in. | 96 in. | 19 in. |



Work EZ box blades from Case IH include heat-treated, easily adjustable scarifier shanks with replaceable tips to rip through hard-packed soils.

Built tough for landscapers, farmers and homeowners, Work EZ box blades from Case IH are ideal for leveling, grading and backfilling. **EveryWork EZ box blade from Case IH is supported** by our strong Case IH dealer network and industry-leading parts and service system.

LANDSCAPING

WORK EZ REAR BLADES

Constructed tough to move maximum material, Work EZ rear blades from Case IH increase your ability to get the job done. Available in four lines – standard-utility, medium-duty, heavy-duty and industrial – there's a Work EZ rear blade to fit nearly all compact and utility tractors.

Overall widths on Work EZ rear blades from Case IH range from 60 in. to 108 in., to fit just about any size compact or utility tractor. So you can handle just about any landscaping chore. Most Work EZ rear blade models have five forward and three reverse angle adjustment positions.

| MODEL | ТҮРЕ | OVERALL WIDTH | ANGLE ADJUSTMENT |
|-------|------------------|---------------|---------------------|
| 60SL | Standard Utility | 60 in. | 5 forward/3 reverse |
| 72SL | Standard Utility | 72 in. | 5 forward/3 reverse |
| 60SM | Medium-Duty | 60 in. | 5 forward/3 reverse |
| 72SM | Medium-Duty | 72 in. | 5 forward/3 reverse |
| 84SM | Medium-Duty | 84 in. | 5 forward/3 reverse |
| 84SH | Heavy-Duty | 84 in. | 5 forward/3 reverse |
| 96SH | Heavy-Duty | 96 in. | 5 forward/3 reverse |
| 96SI | Industrial | 96 in. | 30 degrees |
| 108SI | Industrial | 108 in. | 30 degrees |



WORK EZ LANDSCAPE RAKES

The rugged Work EZ rake line from Case IH includes landscape rakes designed for precision soil preparation such as leveling, grading and topsoil spreading. There's also a Work EZ rock rake that makes quick work of removing rocks and cleaning debris.



| MODEL | RAKE TYPE | TINE SPACING | TINE SIZE |
|-------|-----------|--------------|------------------|
| 60LR | Landscape | 1 in. | 5/16 in. x 1 in. |
| 72LR | Landscape | 1 in. | 5/16 in. x 1 in. |
| 84LR | Rock | 1 in. | 5/16 in. x 1 in. |

Work EZ rakes from Case IH have five forward-tine and three reverse-tine bar angle positions and a 360-degree pivot capability for greater operating flexibility. **Rocks and landscaping debris are no match** for the heavy-duty 5/16 in. x 1 in. steel tines on Case IH Work EZ rakes.

TILLAGE & GARDENING

TOOLS TO SHATTER CLODS AND PREP SOILS.

WORK THE SOIL, BREAK UP CLODS, PREPARE SEEDBEDS AND CONTROL WEEDS WITH TOUGH-AS-NAILS TILLAGE AND GARDENING TOOLS FROM CASE IH.

Work your ground efficiently and economically with the Work EZ[™] disk harrow by Case IH. This simple, adjustable implement features twenty 18 in. notched blades and seal bearings for long life. In addition, durable Case IH TL Series rotary tillers feature sturdy steel decks, boxsteel frames and handy lubrication points for years of reliable service.

WORK EZ DISK HARROW

| MODEL | WORKING WIDTH | MAXIMUM TILLING/ CUTTING DEPTH | CASE IH TRACTOR COMPATIBILITY | |
|-------|---------------|-----------------------------------|----------------------------------|--|
| 78DC | 70 in. | 6 in. | min 20 HP, max 60 HP | |

TL SERIES ROTARY TILLERS

| MODEL | WORKING WIDTH | MAXIMUM TILLING/CUTTING DEPTH | CASE IH TRACTOR COMPATIBILITY | |
|--------|---------------|----------------------------------|-------------------------------|--|
| TL152 | 52 in. | 7.25 in. Farmall 31 & 35 | | |
| TL160 | 60 in. | 7.25 in. | Farmall 31 & 35 | |
| TL172 | 72 in. | 7.25 in. Farmall 31 & 35 | | |
| TL172H | 72 in. | 7 in. | Farmall 40, 45, 50, 55 & 60 | |
| TL180H | 80 in. | 7 in. | Farmall 40, 45, 50 55 & 60 | |



The Work EZ disk harrow from Case IH offers a cutting width of 70 in. for tractors up to 70 hp.

Quality steel disks on the Work EZ disk harrow can cut up to 6 in. deep.



Heavy-duty Case IH rotary tiller models include additional hard-wearing features, including highspeed tines for one-pass tilling, and curved-tip steel tines for maximum soil mixing. Case IH TL Series rotary tillers are equipped with **1/8 in. (3.2 mm) thick steel decks and box steel frames** for maximum strength and longevity.

DEBRIS CLEANUP/ SNOW REMOVAL

SWEEP IT UP. BLOW IT AWAY.

EASILY KEEP DRIVEWAYS AND PARKING LOTS CLEAR WITH RUGGED CASE IH ROTARY BROOMS AND SNOW BLOWERS.

ROTARY BROOMS

BR Series Quick-Attach front rotary brooms quickly clear away debris, leaves, grass clippings, gravel or snow. The broom brush - made of durable polypropylene bristles - pivots to prevent damage when encountering obstacles. And it's easy to attach and remove from your tractor without tools.

| MODEL | SWEEPING WIDTH | DRIVE METHOD | CASE IH TRACTOR COMPATIBILITY |
|-------|----------------|--------------|-------------------------------|
| BR160 | 55 in. | Mid PTO | Farmall 31, 35, 40 & 45 |
| BR172 | 67 in. | Mid PTO | Farmall 31, 35, 40 & 45 |



Case IH BR Series Quick-Attach front Set the ground pressure of the brush to rotary brooms can be manually angled match conditions using the adjustable from 0 - 25 degrees. Or change the broom angle from your tractor seat with optional hydraulic angling.

brush head suspension on Case IH BR Series Quick-Attach front rotary brooms. Optional side caster wheels are available for lawn de-thatching.

SNOW BLOWERS

Power through big drifts with a Case IH BS Series Quick-Attach front snow blower or a BS Series rear-mounted snow blower. Both lines have a two-stage design that guickly clears any type of snow you'll face, from light and fluffy to wet and hard-packed.

| MODEL | MOUNT TYPE | BLOWER WIDTH | BLOWER HEIGHT | CASE IH TRACTOR COMPATIBILITY |
|--------|-------------|--------------|---------------|--|
| BS163H | Front Mount | 63 in. | 22 in. | Farmall 31 & 35 |
| BS172H | Front Mount | 72 in. | 26 in. | Farmall 40 & 45 |
| BS164R | Rear Mount | 64 in. | 26 in. | Farmall 31 & 35 |
| BS174R | Rear Mount | 74 in. | 26 in. | Farmall 31, 35, 40, 45, 50, 55 & 60 |
| BS184R | Rear Mount | 84 in. | 34 in. | Farmall 40, 45, 50, 55 & 60 |



Case IH BS Series Quick-Attach front snow **blowers** offer excellent visibility, and are easy to attach and remove without tools.



High-carbon, heavy-duty skid shoes and high-carbon cutting edges on Case IH BS Series rear-mounted snow blowers assure years of reliable operation.

CASE IH SYSTEMS APPROACH

EQUIPMENT, EXPERTISE, FINANCING & SERVICE. ONE EXCEPTIONAL PACKAGE.

Highly trained Case IH dealers know how to match a new Case IH tractor with the right implement to achieve peak power and performance – efficiently and economically. Your dealer also can recommend the ideal attachments and options to match the size and scope of your "to do" list.

And you can be confident that your Case IH equipment will hold its value through trade-in time. Case IH equipment and your dealer's value-added service and expertise are the right choices for those who demand more.

CNH CAPITAL FINANCING SOLUTIONS

For those who demand more from a financial services provider, CNH Capital has the right solutions. With more than 50 years' experience, we have a wide range of financial products and services to support your business.

CNH Capital offers competitive equipment financing with flexible payments that can be timed to your cash flow. Operating and finance leases are also attractive options that allow you to reduce up-front payments and conserve capital, while benefiting from the latest in equipment technology. For other business financing needs, choose from a variety of credit card programs.







PARTS AND SERVICE EXPERTISE

You can always count on your Case IH dealer for the professional service and advice necessary to keep your equipment running, season after season.

In addition to helping you find the right product solutions, your Case IH dealer offers a vast array of parts, services and equipment protection plans — all backed by expert advice and skilled, factorytrained service professionals who can help you before, during and after the sale. Your Case IH dealer carries the complete line of genuine Case IH parts and components, along with full-service maintenance programs and industry-leading warranties.

Plus, now you can identify the Case IH parts you need online

- Visit www.caseih.com/na
- Click on Search for Parts under Parts & Service
- Enter your model number or product name
- View a parts list and diagram
- Build a list of the parts you need
- Contact your Case IH dealer to order parts

U

Q

FARMALL WORKS WITH YOUR LIFESTYLE





WWW.CASEIH.COM

SAFETY NEVER HURTS!TM Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided.

Case IH is a registered trademark of CNH America LLC. Any trademarks referred to herein, in association with goods and/ or services of companies other than CNH America LLC, are the property of those respective companies. CNH America LLC reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at ime of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used.

